

To: Stan Kaczmarek[StanK@demaximis.com]; LaPoma, Jennifer[LaPoma.Jennifer@epa.gov]; Vaughn, Stephanie[Vaughn.Stephanie@epa.gov]
From: Hoppe, Michael
Sent: Tue 3/11/2014 4:09:02 PM
Subject: RE: Draft Minutes of Teleconference

Looks OK Stan.

Except that it appears I was at the meeting twice.

I wasn't at 10.9 yesterday or today. Are the operations coinciding with the schedule included on the minutes? I know that Friday there were no panels installed and I haven't received any updates from CDM regarding Sat/Monday activities. I may travel to the Site this afternoon, but wanted to confirm that there are operations (fixing armor stone or placement of AguaGate, etc).

Thanks.

Mike

Michael Hoppe

Federal On-Scene Coordinator

USEPA Region 2

Response and Prevention Branch

Preparedness Section

Phone: (732) 906-6908 Fax: (732) 321-4425

Cell: (908) 420-4472



From: Stan Kaczmarek [mailto:StanK@demaximis.com]
Sent: Tuesday, March 11, 2014 11:35 AM
To: Hoppe, Michael; LaPoma, Jennifer; Vaughn, Stephanie
Subject: Draft Minutes of Teleconference

Please review the attached minutes and let me know if it requires any modifications from EPA's POV.

Thanks!

Stan

Stan Kaczmarek, PE

de maximis, inc.

186 Center Street, Suite 290

Clinton, NJ 08809

(O) (908) 735-9315

(C) (973) 978-9621